



ENERPAT

Automatic Metal Baler


North America

South America



COTENTS

- 01 Photos
- 02 Configuration
- 03 Specification
- 04 Our Customer





Machine Photos





Machine Photos









Machine Specification



Model	AMB-L2014	AMB-L2017	AMB-L2520
Press Force(kn)	2500	2500	2500
Press Chamber(mm)	2000x1400x900 mm 79"x55"x36"	2000x1750x1200 mm 79"x69"x47"	2500x2000x1200 mm 99"x79"x48"
Motor Power	2x22 kw 2x30 HP	2x30 kw 2x40 HP	2x30 kw 2x40 HP
Pump	2x160 ml/r	2x160 ml/r	2x160 ml/r
Bale Size	500x500 mm 20"x20"	500x500 mm 20"x20"	500x500 mm 20"x20"
Cycle Time	120 S	130 S	150 S
Machine Size	5500x4500x2800 mm 18'x15'x9'	5500x4500x2800 mm 18'x15'x9'	6500x4800x3400 mm 21'x16'x11'
Machine Weight	20.0 tons	23.0 tons	30.0 tons
Loading	1x40 HQ	1x40 FR	1x40 FR



Customer In North America



California,
Oregon,
Washington
Maryland

Canada: Vanconver,Toronto,Edmonton

Mexico :Reynosa




Optional Configuration



Schneider Electric

PLC




Schneider Electric

Touch Screen



SIEMENS

Motor



OMRON

Switch




Rexroth
Bosch Group

Valves




ENERPAT

Cylinders




HYDAC

Filters




Hallite
Former Advanced Sealing Technologies

Sealing



Enterprise customers





THANKS AND WELCOME

ENERPAT GROUP UK LTD

